

What is claimed is:

1. A screen input type display device which arranges a touch panel on a display surface of a display device, the touch panel comprising:

a first substrate having a first resistance film,

a second substrate having a second resistance film,

an inter-substrate connection wiring electrode being formed on the second substrate, and

a conductive pressure sensitive adhesive member being disposed between the first resistance film and the inter-substrate connection wiring electrode, the conductive pressure sensitive adhesive member electrically connecting the first resistance film and the inter-substrate connection wiring electrode, and the conductive pressure sensitive adhesive member having pressure sensitive adhesive material in which conductive particles are mixed formed on both surfaces of a metal foil for laminating the first substrate and the second substrate.

2. A screen input type display device according to claim 1,

wherein the first resistance film and the conductive pressure sensitive adhesive member are directly brought into contact with each other.

3. A screen input type display device according to claim 1,

wherein a first wiring electrode formed on the first resistance film is interposed between the first resistance film and the conductive pressure sensitive adhesive member.

4. A screen input type display device according to claim 1,  
wherein the metal foil is a copper foil.
5. A screen input type display device according to claim 1;  
wherein the conductive particles are metal particles.
6. A screen input type display device according to claim 1,  
wherein the conductive particles are plastic particles to which a  
conductive metal plating is applied or glass particles to which a conductive  
metal plating is applied.
7. A screen input type display device according to claim 1,  
wherein the conductive particles at the first substrate side of the  
metal foil and the conductive particles at the second substrate side of the  
metal foil are different in kind from each other.
8. A screen input type display device according to claim 1,  
wherein the first substrate is formed of a soft film member and the  
second substrate is formed of a hard plate.
9. A screen input type display device according to claim 1,  
wherein one of the first substrate and the second substrate is  
formed of a soft film member and the other is formed of a hard plate, the  
conductive particles at the hard plate side of the metal foil are formed of

plastic particles to which a conductive metal plating is applied and the conductive particles at the soft film member side of the metal foil are formed of metal particles.

10. - A screen input type display device which arranges a touch panel on a display surface of a display device, the touch panel comprising:

a first substrate having a first resistance film,

a second substrate having a second resistance film,

an inter-substrate connection wiring electrode being formed on the second substrate, and

a conductive pressure sensitive adhesive member being disposed between the first resistance film and the inter-substrate connection wiring electrode, the conductive pressure sensitive adhesive member electrically connecting the first resistance film and the inter-substrate connection wiring electrode, and the conductive pressure sensitive adhesive member having pressure sensitive adhesive material in which plastic particles to which a conductive metal plating is applied are mixed for laminating the first substrate and the second substrate.

11. A screen input type display device according to claim 10,

wherein the first resistance film and the conductive pressure sensitive adhesive member are directly brought into contact with each other.

12. A screen input type display device according to claim 10,

wherein a first wiring electrode formed on the first resistance film is

interposed between the first resistance film and the conductive pressure sensitive adhesive member.

09030613 042001